Neuroscience Letters, 160 (1993) 237–240
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abe, H., see Takahashi, A., 214
Abraham, W., see Dragunow, M., 232
Acuña, C., see Gonzalez, F., 167
Agnati, L.F., see Chadi, G., 171
Akagawa, K., see Nagahama, M., 37
Alonso, J.M., see Gonzalez, F., 167
Alonso, M.E., see Bonnycastle, L.L.C., 33
Amat, J. and Torres, A., Circannual rhythm in the effects of stress on the humoral immune response of the rat, 190
Anderson, J.J., Kuo, S., Chase, T.N. and Engber, T.M., $GABA_A$ and $GABA_B$ receptors differentially regulate striatal acetylcholine release in vivo, 126
Apkarian, A.V., see Shi, T., 209
Appel, K., see Nörenberg, W., 69
Armstrong, R.A., Is the clustering of neurofibrillary tangles in Alzheimer's patients related to the cells of origin of specific cortico-cortical projections?, 57
Asakura, M., see Ota, A., 96
Ashmore, J.F., see Rennie, K.J., 185

Baldessari, S., see Bendotti, C., 197
Barkats, M., Bertholet, J.-Y., Venault, P., Ceballos-Picot, I., Nicole, A., Phillips, J., Moutier, R., Roubertoux, P., Sinet, P.-M. and Cohen-Salmon, C., Hippocampal mossy fiber changes in mice transgenic for the human copper-zinc superoxide dismutase gene, 24
Barthélémy, L., see Mialon, P., 1
Barturen, F., see Ruiz, J., 109
Batini, C., see Palestini, M., 89
Bauer, J., see Nörenberg, W., 69
Beilharz, E., see Dragunow, M., 232
Bendotti, C., Tarizzo, G., Fumagalli, F., Baldessari, S. and Samanin, R., Increased expression of preproneuropeptide Y and preprosomatostatin mRNA in striatum after selective serotoninergic lesions in rats, 197
Benoit, P. and Changeux, J.P., Voltage dependencies of the effects of chlorpromazine on the nicotinic receptor channel from mouse muscle cell line Sol8, 81
Bertholet, J.-Y., see Barkats, M., 24
Bird, T.D., see Bonnycastle, L.L.C., 33
Bonne, C., see Cazevieille, C., 106
Bonnycastle, L.L.C., Yu, C.-E., Wijsman, E.M., Orr, H.T., Patterson, D., Clancy, K.P., Goddard, K.A.B., Alonso, M.E., Nemens, E., White, J.A., Heston, L.L., Martin, G.M., Bird, T.D. and Schellenberg, G.D., The *c-fos* gene and early-onset familial Alzheimer's disease, 33
Bordegaray, J., see Dail, W.G., 17
Brookes, N. and Turner, R.J., Extracellular potassium regulates the glutamine content of astrocytes: mediation by intracellular pH, 73
Burke, J., see Mather, K., 13

Cairn, N., see Mather, K., 13
Callado, L.F., see Ruiz, J., 109
Cann-Moisan, C., see Mialon, P., 1
Caroff, J., see Mialon, P., 1
Carroll, M., see Mather, K., 13
Carter, D.A. and Murphy, D., Acute down-regulation of oxytocin and vasopressin mRNA levels following metrazole-induced seizure in the rat, 135
Cazevieille, C., Muller, A. and Bonne, C., Prostacyclin (PGI_2) protects rat cortical neurons in culture against hypoxia/reoxygenation and glutamate-induced injury, 106
Ceballos-Picot, I., see Barkats, M., 24
Chadi, G., Tinner, B., Agnati, L.F. and Fuxe, K., Basic fibroblast growth factor (bFGF, FGF-2) immunoreactivity exists in the noradrenaline, adrenaline and 5-HT nerve cells of the rat brain, 171
Chan, S.H.H., see Tan, P.P.C., 205
Changeux, J.P., see Benoit, P., 81
Chapman, P.F., see Haley, J.E., 85
Chase, T.N., see Anderson, J.J., 126
Chen, J., see Graham, S.H., 21
Clancy, K.P., see Bonnycastle, L.L.C., 33
Cohen-Salmon, C., see Barkats, M., 24
Condamin, M., see Wallois, F., 221
Cox, M. and Halliday, G.M., Parvalbumin as an anatomical marker for discrete subregions of the ambiguus complex in the rat, 101
Crépel, F., see Lagny-Pourmir, I., 29

Dail, W.G., Galloway, B. and Bordegaray, J., NADPH diaphorase innervation of the rat anococcygeus and retractor penis muscles, 17
Davis, B.A., see Minami, M., 217
de Ceballos, M.L., Fernandez, A., Jenner, P. and Marsden, C.D., Parallel alterations in Met-enkephalin and substance P levels in medial globus pallidus in Parkinson's disease patients, 163
Demura, H., see Nakano, Y., 93
Derrien, M., Noble, F., Maldonado, R. and Roques, B.P., Cholecystokinin-A but not cholecystokinin-B receptor stimulation induces endogenous opioid-dependent antinociceptive effects in the hot plate test in mice, 193
Djavadian, R.L., see Turlejski, K., 225
Dobashi, I., see Nakano, Y., 93
Douglas, V.D., see Miller, K.E., 113
Dragunow, M., Beilharz, E., Mason, B., Lawlor, P., Abraham, W. and Gluckman, P., Brain-derived neurotrophic factor expression after long-term potentiation, 232
Dreher, B., see Turlejski, K., 225
Dunkley, P.R., see Sim, A.T.R., 181

Ehlers, C.L., see Robledo, P., 4
Engber, T.M., see Anderson, J.J., 126
Estrada, E., see Rosenberg, G.A., 117

Fernandez, A., see de Ceballos, M.L., 163
Fumagalli, F., see Bendotti, C., 197
Funada, M., see Suzuki, T., 159
Fuxe, K., see Chadi, G., 171

Galloway, B., see Dail, W.G., 17
García-Sevilla, J.A., see Ruiz, J., 109
Gaudry-Talarmain, Y.M., see Molgó, J., 65
Gebhart, G.F., see Traub, R.J., 121
Gebicke-Haerter, P.J., see Nörenberg, W., 69
Gentleman, S.M., Nash, M.J., Sweeting, C.J., Graham, D.I. and Roberts, G.W., β-Amyloid precursor protein (βAPP) as a marker for axonal injury after head injury, 139
Gluckman, P., see Dragunow, M., 232
Goddard, K.A.B., see Bonnycastle, L.L.C., 33

Gonzalez, F., Relova, J.L., Perez, R., Acuña, C. and Alonso, J.M., Cell responses to vertical and horizontal retinal disparities in the monkey visual cortex, 167
Gootman, P.M., see Sica, A.L., 149
Graham, D.I., see Gentleman, S.M., 139
Graham, S.H., Chen, J. and Simon, R.P., A dose–response study of dextrorphan in permanent focal ischemia, 21
Gros, F., see Wallois, F., 221
Guegan, M., see Palestini, M., 89

Haley, J.E., Malen, P.L. and Chapman, P.F., Nitric oxide synthase inhibitors block long-term potentiation induced by weak but not strong tetanic stimulation at physiological brain temperatures in rat hippocampal slices, 85
Halliday, G.M., see Cox, M., 101
Hanajima, R., see Ugawa, Y., 153
Herdegen, T., see Traub, R.J., 121
Heston, L.L., see Bonnycastle, L.L.C., 33
Houkin, K., see Takahashi, A., 214
Hundley, B.W., see Sica, A.L., 149

Illes, P., see Nörenberg, W., 69
Inagaki, N., see Panula, P., 53
Ishida, M., Saitoh, T. and Shinozaki, H., A new metabotropic glutamate receptor agonist: developmental change of its sensitivity to receptors in the newborn rat spinal cord, 156
Itoh, Y., see Sawada, M., 131

Jarvie, P.E., see Sim, A.T.R., 181
Jenner, P., see de Ceballos, M.L., 163
Jennes, L., see Wirsig-Wiechmann, C.R., 201
Joanny, P., see Mialon, P., 1
Joyce, J.N., see Neal-Beliveau, B.S., 77

Kamei, J., see Suzuki, T., 159
Kamiyama, H., see Takahashi, A., 214
Kanazawa, I., see Ugawa, Y., 153
Kaneko, T., see Miller, K.E., 113
Kaneko, W.M., see Robledo, P., 4
Katsuki, H., see Kawahara, F., 45
Kawahara, F., Saito, H. and Katsuki, H., Pharmacological characteristics of $GABA_A$ responses in postnatal suprachiasmatic neurons in culture, 45
Kelley, R.O., see Rosenberg, G.A., 117
Kikuchi, S., Muramatsu, H., Muramatsu, T. and Kim, S.U., Midkine, a novel neurotrophic factor, promotes survival of mesencephalic neurons in culture, 9
Kim, S.U., see Kikuchi, S., 9
Kornfeld, M., see Rosenberg, G.A., 117
Kotilainen, E., see Panula, P., 53
Kuo, S., see Anderson, J.J., 126
Kuo, T.B.J., see Tan, P.P.C., 205
Kuwahara, A., see Nagahama, M., 37

Lagny-Pourmir, I. and Crépel, F., [^{125}I]Galanin binding sites in the rat frontal lobe are guanine nucleotide-sensitive and display a low regional index of occupancy, 29
Lawlor, P., see Dragunow, M., 232
Legrand, A.M., see Molgó, J., 65
Lloyd, H.G.E., see Sim, A.T.R., 181
Löscher, W., In vivo administration of valproate reduces the nerve terminal (synaptosomal) activity of GABA aminotransferase in discrete brain areas of rats, 177

Macron, J.M., see Wallois, F., 221
Maldonado, R., see Derrien, M., 193
Malen, P.L., see Haley, J.E., 85
Mareš, P., Seidl, J. and Nováková, J., Differential action of phenytoin and carbamazepine on cortical interhemispheric responses in young but not in adult rats, 49
Marsden, C.D., see de Ceballos, M.L., 163
Martin, G.M., see Bonnycastle, L.L.C., 33
Martín, I., see Ruiz, J., 109
Marunouchi, T., see Sawada, M., 131
Mason, B., see Dragunow, M., 232
Mather, K., Watts, F.Z., Carroll, M., Whitehead, P., Swash, M., Cairn, N. and Burke, J., Antibody to an abnormal protein in amyotrophic lateral sclerosis identifies Lewy body-like inclusions in ALS and Lewy bodies in Parkinson's disease, 13
Matsui, H., see Ota, A., 96
Meana, J.J., see Ruiz, J., 109
Mialon, P., Cann-Moisan, C., Barthélémy, L., Caroff, J., Joanny, P. and Steinberg, J., Effect of one hyperbaric oxygen-induced convulsion on cortical polyamine content in two strains of mice, 1
Miller, K.E., Douglas, V.D. and Kaneko, T., Glutaminase immunoreactive neurons in the rat dorsal root ganglion contain calcitonin gene-related peptide (CGRP), 113
Minami, M., Yu, P.H., Davis, B.A., Takahashi, T., Shimomura, Y. and Naoi, M., Inhibition of tryptophan hydroxylase by 6,7-dihydroxy-*N*-cyanomethyl-1,2,3,4-tetrahydroisoquinoline, a cyanomethyl derivative of dopamine formed from cigarette smoke, 217
Misawa, M., see Mizoguchi, H., 41
Misawa, M., see Suzuki, T., 159
Mizoguchi, H., Suzuki, T. and Misawa, M., Effects of serotonergic anxiolytics on physical dependence on diazepam in mice, 41
Mizoguchi, H., see Suzuki, T., 159
Molgó, J., Gaudry-Talarmain, Y.M., Legrand, A.M. and Moulian, N., Ciguatoxin extracted from poisonous moray eels *Gymnothorax javanicus* triggers acetylcholine release from *Torpedo* cholinergic synaptosomes via reversed Na^+–Ca^{2+} exchange, 65
Morin, D., Compared effects of serotonin on the inspiratory activity of glossopharyngeal, vagal, hypoglossal and cervical motoneurons in neonatal rat brain stem–spinal cord preparations, 61
Morrison, M., see Sim, A.T.R., 181
Moulian, N., see Molgó, J., 65
Moutier, R., see Barkats, M., 24
Muller, A., see Cazevieille, C., 106
Muramatsu, H., see Kikuchi, S., 9
Muramatsu, T., see Kikuchi, S., 9
Murphy, D., see Carter, D.A., 135

Nagahama, M., Tsutsui, Y., Kuwahara, A. and Akagawa, K., Immunohistochemical demonstration of neuron specific antigen, HPC-1 in the enteric nervous system of the guinea-pig distal colon, 37
Nagatsu, T., see Ota, A., 96
Nakano, Y., Suda, T., Tozawa, F., Dobashi, I., Sato, Y., Ohmori, N., Sumitomo, T. and Demura, H., Saireito (a Chinese herbal drug)-stimulated secretion and synthesis of pituitary ACTH are mediated by hypothalamic corticotropin-releasing factor, 93
Naoi, M., see Minami, M., 217
Nash, M.J., see Gentleman, S.M., 139
Neal-Beliveau, B.S. and Joyce, J.N., D_1 and D_2 dopamine receptors do

not up-regulate in response to neonatal intrastriatal 6-hydroxydopamine lesions, 77
Nemens, E., see Bonnycastle, L.L.C., 33
Nicole, A., see Barkats, M., 24
Noble, F., see Derrien, M., 193
Nörenberg, W., Appel, K., Bauer, J., Gebicke-Haerter, P.J. and Illes, P., Expression of an outwardly rectifying K^+ channel in rat microglia cultivated on teflon, 69
Nováková, J., see Mareš, P., 49

Ohmori, N., see Nakano, Y., 93
Orr, H.T., see Bonnycastle, L.L.C., 33
Ota, A., Matsui, H., Asakura, M. and Nagatsu, T., Distribution of β_1- and β_2-adrenoceptor subtypes in various mouse tissues, 96

Palestini, M., Guegan, M., Saavedra, H., Thomasset, M. and Batini, C., Glutamate, GABA, calbindin-D_{28k} and parvalbumin immunoreactivity in the pulvinar-lateralis posterior complex of the cat: relation to the projection to the Clare-Bishop area, 89
Pan, W.H.T., see Tan, P.P.C., 205
Panula, P., Takagi, H., Inagaki, N., Yamatodani, A., Tohyama, M., Wada, H. and Kotilainen, E., Histamine-containing nerve fibers innervate human cerebellum, 53
Patterson, D., see Bonnycastle, L.L.C., 33
Perez, R., see Gonzalez, F., 167
Phillips, J., see Barkats, M., 24

Relova, J.L., see Gonzalez, F., 167
Rennie, K.J. and Ashmore, J.F., Effects of extracellular ATP on hair cells isolated from the guinea-pig semicircular canals, 185
Roberts, G.W., see Gentleman, S.M., 139
Robledo, P., Kaneko, W.M. and Ehlers, C.L., The effects of acute cocaine administration on auditory event-related potentials in rats, 4
Roques, B.P., see Derrien, M., 193
Rosenberg, G.A., Estrada, E., Kelley, R.O. and Kornfeld, M., Bacterial collagenase disrupts extracellular matrix and opens blood–brain barrier in rat, 117
Rostas, J.A.P., see Sim, A.T.R., 181
Roubertoux, P., see Barkats, M., 24
Ruiz, J., Martín, I., Callado, L.F., Meana, J.J., Barturen, F. and García-Sevilla, J.A., Non-adrenoceptor [^{3}H]idazoxan binding sites (I_2-imidazoline sites) are increased in postmortem brain from patients with Alzheimer's disease, 109

Saavedra, H., see Palestini, M., 89
Saito, H., see Kawahara, F., 45
Saitoh, T., see Ishida, M., 156
Samanin, R., see Bendotti, C., 197
Sato, Y., see Nakano, Y., 93
Sawada, M., Itoh, Y., Suzumura, A. and Marunouchi, T., Expression of cytokine receptors in cultured neuronal and glial cells, 131
Sawamura, Y., see Takahashi, A., 214
Schellenberg, G.D., see Bonnycastle, L.L.C., 33
Seidl, J., see Mareš, P., 49
Shi, T., Stevens, R.T., Tessier, J. and Apkarian, A.V., Spinothalamocortical inputs nonpreferentially innervate the superficial and deep cortical layers of SI, 209
Shimomura, Y., see Minami, M., 217
Shinozaki, H., see Ishida, M., 156
Shyr, M.-H., see Tan, P.P.C., 205
Sica, A.L., Siddiqi, Z.A., Hundley, B.W., Gootman, P.M. and Steele, A.M., Effects of $GABA_A$ receptor antagonism on inspiratory activities in kittens, 149
Siddiqi, Z.A., see Sica, A.L., 149
Sim, A.T.R., Lloyd, H.G.E., Jarvie, P.E., Morrison, M., Rostas, J.A.P. and Dunkley, P.R., Synaptosomal amino acid release: effect of inhibiting protein phosphatases with okadaic acid, 181
Simon, R.P., see Graham, S.H., 21
Sinet, P.-M., see Barkats, M., 24
Steele, A.M., see Sica, A.L., 149
Steinberg, J., see Mialon, P., 1
Stevens, R.T., see Shi, T., 209
Stroh, T. and Zupanc, G.K.H., Identification and localization of somatostatin-like immunoreactivity in the cerebellum of gymnotiform fish, *Apteronotus leptorhynchus*, 145
Suda, T., see Nakano, Y., 93
Sumitomo, T., see Nakano, Y., 93
Suzuki, T., see Mizoguchi, H., 41
Suzuki, T., Yoshiike, M., Funada, M., Mizoguchi, H., Kamei, J. and Misawa, M., Effect of cyclosporine A on the morphine-induced place preference, 159
Suzumura, A., see Sawada, M., 131
Swash, M., see Mather, K., 13
Sweeting, C.J., see Gentleman, S.M., 139

Takagi, H., see Panula, P., 53
Takahashi, A., Sawamura, Y., Houkin, K., Kamiyama, H. and Abe, H., The cerebrospinal fluid in patients with moyamoya disease (spontaneous occlusion of the circle of Willis) contains high level of basic fibroblast growth factor, 214
Takahashi, T., see Minami, M., 217
Tan, P.P.C., Shyr, M.-H., Yang, C.-H., Kuo, T.B.J., Pan, W.H.T. and Chan, S.H.H., Power spectral analysis of the electroencephalographic and hemodynamic correlates of propofol anesthesia in the rat: intravenous infusion, 205
Tarizzo, G., see Bendotti, C., 197
Tessier, J., see Shi, T., 209
Thomasset, M., see Palestini, M., 89
Tinner, B., see Chadi, G., 171
Tohyama, M., see Panula, P., 53
Torres, A., see Amat, J., 190
Tozawa, F., see Nakano, Y., 93
Traub, R.J., Herdegen, T. and Gebhart, G.F., Differential expression of c-*fos* and c-*jun* in two regions of the rat spinal cord following noxious colorectal distention, 121
Tsutsui, Y., see Nagahama, M., 37
Turlejski, K., Djavadian, R.L. and Dreher, B., Parabigeminal, pretectal and hypothalamic afferents to rat's dorsal lateral geniculate nucleus. Comparison between albino and pigmented strains, 225
Turner, R.J., see Brookes, N., 73

Ugawa, Y., Hanajima, R. and Kanazawa, I., Interhemispheric facilitation of the hand area of the human motor cortex, 153

Venault, P., see Barkats, M., 24

Wada, H., see Panula, P., 53
Wallois, F., Gros, F., Condamin, M. and Macron, J.M., Postnatal development of the anterior ethmoidal nerve in cats: unmyelinated and myelinated nerve fiber analysis, 221
Watts, F.Z., see Mather, K., 13
White, J.A., see Bonnycastle, L.L.C., 33
Whitehead, P., see Mather, K., 13

Wijsman, E.M., see Bonnycastle, L.L.C., 33
Wirsig-Wiechmann, C.R. and Jennes, L., Gonadotropin-releasing hormone agonist binding in tiger salamander nasal cavity, 201

Yamatodani, A., see Panula, P., 53
Yang, C.-H., see Tan, P.P.C., 205
Yoshiike, M., see Suzuki, T., 159
Yu, C.-E., see Bonnycastle, L.L.C., 33
Yu, P.H., see Minami, M., 217

Zupanc, G.K.H., see Stroh, T., 145

ANNOUNCEMENT

The 'First European Meeting on Glial Cell Function in Health and Disease' will be held in Heidelberg, Germany, 24–27 March 1994.

For registration (before December 31, 1993) and poster submission:

Dr. Helmut Kettenmann
Institut für Neurobiologie
Universität Heidelberg
Im Neuenheimer Feld 345
D-69120 Heidelberg, Germany
Fax: (49) 6221-563801

CONTENTS *(continued from the back cover)*

The cerebrospinal fluid in patients with moyamoya disease (spontaneous occlusion of the circle of Willis) contains high level of basic fibroblast growth factor
A. Takahashi, Y. Sawamura, K. Houkin, H. Kamiyama and H. Abe (Japan) 214
Inhibition of tryptophan hydroxylase by 6,7-dihydroxy-*N*-cyanomethyl-1,2,3,4-tetrahydroisoquinoline, a cyanomethyl derivative of dopamine formed from cigarette smoke
M. Minami, P.H. Yu, B.A. Davis, T. Takahashi, Y. Shimomura and M. Naoi (Canada, Japan) 217
Postnatal development of the anterior ethmoidal nerve in cats: unmyelinated and myelinated nerve fiber analysis
F. Wallois, F. Gros, M. Condamin and J.M. Macron (France) 221
Parabigeminal, pretectal and hypothalamic afferents to rat's dorsal lateral geniculate nucleus. Comparison between albino and pigmented strains
K. Turlejski, R.L. Djavadian and B. Dreher (Australia) 225
Brain-derived neurotrophic factor expression after long-term potentiation
M. Dragunow, E. Beilharz, B. Mason, P. Lawlor, W. Abraham and P. Gluckman (New Zealand) 232

Authors index 237

Announcement 240